Building complex pages with Views and Display Suite

Part 1 of 2

A step by step approach to creating complex content types and page displays. In this session, we will cover the whole process, from deconstructing mockups in search of reusable patterns through assembling clusters of custom content types into rich and interconnected page displays.

presented by


Renaud Joubert renaud.joubert@sympatico.ca


Presentation outline PreambleThe value of context & process Reading about what a module does is not enough Knowing when to use it and when NOT to use it is essential Sharing hindsight "Come for the software, stay for the community"


Presentation outline


- Deconstructing mockups
- Searching for patterns
- Selecting most appropriate tools for the job
- Turning patterns into recyclable displays
- The makeup of a [complex] content type
- Displaying [complex] content types
- Quick demo (time permitting)
- Questions



































Quick recap

- Analysis shows that
 - Slices are big
 - Patterns are everywhere
- What's next?











Char	ting	the u	Inchar	table
	Components	Solutions	Industries	
	Banner			
Slicing up 60+ mockups…	Messages			
	Use Cases			
	Products	$\boxtimes \boxtimes \boxtimes$		
	Clients		$\boxtimes\boxtimes ==$	
	Stories	Into-GFX		and looking for patterns…
	Tech Specs			
	View Demo			
	Learn More			
	Footer			


		Main	Menu
	Components	Solutions	Industries
	Banner		
	Messages		
Content	Use Cases		
types	Products	$\boxtimes\boxtimes\boxtimes$	
	Clients		$\boxtimes\boxtimes ==$
	Stories	into-GFX	
	Tech Specs		
D 1 1	View Demo		
Blocks	Learn More		
	Footer		










































Pr	roducts: facet	3
	Product CT	-
	Specs Description Specs Data	




















Pro	duct: Manag	e fields
LABEL	MACHINE NAME	FIELD TYPE
+ Product category	field_prod_category	Term reference
+ Title	title	Node module element
	field_prod_subtitle	Text
+ Teaser	field_prod_teaser	Long text
⊕ Body	body	Long text and summary
	field_prod_image	Image
+ Features	field_prod_features	Entity Reference
+ Use Cases	field_prod_use_cases	Entity Reference
+ Tech Specs	field_prod_tech_specs	Entity Reference
+ Downloads	field_prod_downloads	Entity Reference
+ Featured Story	field_prod_featured_case_study	Entity Reference
+ Certification	field_prod_certification	Image
+ URL path settings	path	Path module form elements

<section-header></section-header>	
	Product edit form: primary
Product category Tote * Control ** Description	
Levent Helior Preux handbad Subtility Upth:http://www.html/hub/2/hys.ubc/accound/ai/wish/mpix Teare Camere elevels audo tinciduut valde, Abigo elit lacoreat loquor paratas premo proprius. Kruse nee auscipere ulciacor valetudo. Yecus ultram veriam. Arthababe immitto vois. Enat hub immitto quides. Brevitare auso au unaccipit turgito valetudo visis vitram. Teane all hub verto voco. Arthababe converteño hos interdos Lucius pertime quibos quidere and ulciacor. Abizo comits dame sees free incessami tutalis refovos similia vino. Comis consecterior danisatio monito lucius aciseo vales. Dionet aum facilitatio da los estas per tenno quibos quidere and ulciaco aduato. Logoto genhus imputo pais paulatim plaga perprina suscipit ulcino vales. Estamol dium vivoleo. Abizo accumenta appelialito gravito hos hub cal vino. Capto genhus imputo pais paulatim plaga perprina suscipit ulcino about text formato. Camer hos mos obruo present sudo hum utrum. Defui danisatim alvivas loborti socio to condo. Accumenta establiabo muse reformato estas autor text formato. Camer hos mos obruo present sudo hum utrum. Defui danisatim alvivas loborti socio to condo. Accumenta establiabo muse reformato estas autor formato. Vert Information about text formato.	Product category
webs/high2elseurchreadhau2hgeladiodativeteringen Tasser Carrur era en eine saudo throid-unt vidide. Abige eitit larereel toguor paratus premor proprius. Ine mo saudoper uniductor valatudo. Nexus ultram vertam. Anthrubee immitte vidis. Erat huic immitte quiden. Brevitaa ouase au suacipit turpis valetudo vidis virtus. Bene eitit huic verto voco. Anthrubee conventio hos interdicio Lobus portinno gabous guiden sed dicticor. Alco accomma appellation gravito hen kui qui verio. Capto gentus imputo pala paulattir praga proprius aucejut universe. Erateree must singularis. Facilia lineriteri natu nobis asguotter ulciacor zelux. Cogo sesse iaco ideo nafis. Alquam diem huic lile just tation turu acor veri. Carur hos mos obruo present sudo turu ultrum. Darlui diarissim givuo laboris acento saguatter tricidant voco. Accumana anthrubeno must veridos. Tere format: [bittata:] . Carur hos mos obruo present sudo turu into linka austranticiti;	
Camur ex ex lenis sudo fincidunt valde. Abigo elit laorente loguor paratus premo proprius. Kura neo suacipera ulcitoco valetudo. Piecoa ultram veriam. Antehabeo immitto vicis. Erat huic immitto quidra. Brentas caasa eu suacipit hurpix valetudo vicis virta. Brea elit hui verto voco. Antehabeo converte hos interdico Lotas pertines quibos equidre esd ulcicoc. Abioo comis dam esse fine inceasam tetale refevee simila venc. Come consecteure d'anisim omnio Ludua scieco valda. Docet eur fiscilit Esse firer nutus singularis. Facilità inerdenti nata nobis sagositer dicisor zalua. Cogo esse laceo loito ratis. Alguan diem huic lite jus tation tum saor val Abioo accumente appatibilità granta hen huic qui venc. Capito graftus impado pala pauditim praga propria suscipit ultrum volpes. Essemente dilani virtudo. Camur hos mos obruo present sudo hum utrum. Defui dignissim givus loborti accento sagasiter findidant voco. Accumena materiado meus reforma Test formati litesiane	
Bevitae causa eu suscipit turgia valetudo visis vitus. Bene elli huic verto voco. Antenhabeo conventio hos intendico Lucius pertineo quibus quibus quiber edi dicisco: Aboo contra diam esse fine incessum intalle reforea simila vmo. Coma consecteture dionissim eximino Lucius cisco valdo. Dioeti euri facilita Borty Borte for notu engulers. Facilita Involvent natu nobis agacetter ulcisco: zetus. Ogge esse iacoo isko nels. Afquam dam huis lle jas tation turu ucor vul. Aboo accumana appelletio gravite hos huic qui venio. Capito genitus imputo pala paulatim piago proprius suacipit utrum vuipes. Eusemod illum vi vidoo. Canur hos mos obruo present sudo turu utrum. Darlui disnissim givus labortis copeto sacaster tincidunt voco. Accumana antenhabee neus reforee Test formati en en e	
kody Ease free nutus singularis. Facilia hendrett natu nobis sagaoter uicisco zalus. Cogo esse laceo isko ratis. Alquam dam huic life jus tation tum usor vis. Abda accomma appetiatio gravit hot huic qui vinio. Capto genha impute pala paulatin plaga proprius suscipit dum vulges. Eusemod illum ui vindou. Abda algo dono sit. Camur hos mos clorus present audo tum utum. Defui dignissim alivus tobortis accesto sasacher tincidunt voco. Accumaa antehaboo meur reformo Text format. Instant. Wore information about text formats who page defenses and e-mail alternative links automaticity. Insert diregraphe brea automaticity.	Brevitas causa eu suscipit turpis valetudo vicis virtus. Bene elit huic verto voco. Antehabeo conventio hos interdico luctus partineo quibus quidne sed
Abdo accument appelletio gravite hos huic qui venio. Capto genthus imputo pala paulatin piaga proprius suncipit uturn vuipes. Eukamod illum uti vindio	Body
Text format Finish text formation about text formats Nore information about text formation Nore information Nore informati Nore information Nore informati Nore information Nore informati	Abdo accumsan appellatio gravis hos huic qui venio. Capto genitus imputo pala paulatim plaga proprius suscipit utrum vulpes. Euismod illum ut vindico. 🍟
Web page addresses and e-mail addresses turn into links automatically. Unage Image	
	 Web page addresses and e-mail addresses turn into links automatically.

۲V	luct or	lit form	· cocondar
JU			: secondar
FEA	TURES		Show row weights
-‡-	Caecus Commodo Decet Ea (11)	0	
-1-	Abluo Loquor Nisl Paratus (13)		
-1-	Abluo Loquor Nisl Paratus (13)	0	
-1-			
-‡-		0	
USE	CASES		Show row weights
+	At Loquor Natu Suscipere (18)	0	
-2-	Eu Humo Tincidunt (22)		
+	Ludus Nunc (25)	0	
****		0	
		0	
Tec	h Specs		
	Persto Uxor		
			Show row weights
DOV	WNLOADS		
÷	Test File: private-Registered user (590)	0	
-2-	Test File: private-Shark (591)	0	
÷	Test File: private: Public (593)	0	
-1-			









Product: Manage displays


multiple content items. F	ull content is typically	used when the content is d	ontent, Print, RSS, etc. <i>Teaser</i> is a short isplayed on its own page. tent is displayed in each view mode, ar			Creating
view mode.						custom
FIELD	REGION	LABEL	FORMAT	Sho	w row weights	
Left	incoroni,	0.000	10101011			view mode
+ Subtitle	Left •	Above •	Default •			for Produc
+t+ Body	Left •	Above •	Trimmed	Trim length: 600		& Feature
Right						
+ Image	Right 💌	Above •	Image •	Image style: 440x135	-	content
Disabled	right 🔳	Above	image _	image style: 440x155	340	types
						•••
+ Read more	Disabled 💌	<hidden> 💌</hidden>	Default 💌			
+ Comments	Disabled 💌	<hidden> 💌</hidden>	Default 💌			
+ Links	Disabled -	<hidden> 💌</hidden>	Default 💌			
+ Author	Disabled -	<hidden></hidden>	Author 🔄			
+ Post date	Disabled 💌	<hidden> 💌</hidden>	Long			
+ Submitted by	Disabled •	<hidden> •</hidden>	Time ago 🖃			
+ Last modified	Disabled -	<hidden> 💌</hidden>	Long 📩			
+ Title	Disabled -	<hidden> •</hidden>	Default 💌			
+ Group files	Disabled •	<hidden> •</hidden>	Default 💌			
+ Teaser	Disabled •	Above •	Default 💌			










	aturaa na	ana dia	
ews: re	atures pa	ade dis) [
			Г
isplays			
Master Features Page Certification		edit view name/descript	tion
Tech Specs Page Downloads page	+ Add		
Features Page details			
Display name: Features Page		view Features Pa	ige
TITLE	PAGE SETTINGS	▼ Advanced	
Title: Features	Path: /product-tabs	CONTEXTUAL FILTERS	Add •
FORMAT	Menu: No menu	(Content referencing Content from	
Format: Unformatted list Settings	Access: Permission View published content	field_prod_features) Content: Nid	
Show: Display Suite Settings	HEADER	RELATIONSHIPS	Add 🖣
FIELDS	FOOTER	Entity Reference: Referencing entity	
The selected style or row format does not	PAGER	NO RESULTS BEHAVIOR	Add
utilize fields.	Use pager:	EXPOSED FORM	
FILTER CRITERIA Add		Exposed form in block: No	
Content: Published (Yes)	5 items More link: No	Exposed form style: Basic Settings	
Content: Type (= Feature)		OTHER	
SORT CRITERIA Add		Machine Name: page	
		Comment: No comment	
		Use AJAX: No	
		Hide attachments in summary: No	
		Hide contextual links: No	
		Use aggregation: No	
		Query settings: Settings	
		Field Language: Current user's language	e
		Caching: None	





_	
Crea	ate a relationship
rece Administration = South	(14/m)
roduct Tabs (Conte	Add relationships
Modify the display(s) of y	For This page (override)
Displays	Entity Reference: Referenced Entity A bridge to the Content entity that is referenced via field_usecase_featured_casestudy
Master Features P	Entity Reference: Referenced Entity A bridge to the Content entity that is referenced via og_user_node
Tech Specs Page	Entity Reference: Referenced Entity A bridge to the Content entity that is referenced via og_group_ref
- Features Page det	Entrage on the Content entry that is referencing Content via og_group_cef Distributed and the Content entry that is referencing Content via og_group_ref
Display name: Features	Entrange to the Content entrange and its inferencing Content via 6g_group_cits wew Features Page
TITLE	Entity Reference: Referencing entity
Title: Features	A bridge to the Content entity that is referencing Content via field_industry_descriptions Add + Add +
Format: Unformatted R	A bridge to the Content entity that is referencing Content via field_prod_use_cases Entity Reference: Referencing entity
Show: Display Suite /	A bridge to the Content entity that is referencing Content via field_prod_features (Add ->)
FIELDS The selected style or ro	Entity Reference: Referencing entity A bridge to the User entity that is referencing Content via og_user_node Reference: Referenc:
utilize fields.	Entity Reference: Referencing entity A bridge to the Content entity that is referencing Content via field_prod_tech_specs
FILTER CRITERIA Content: Published (Ye	Entity Reference: Referencing entity A bridge to the Content entity that is referencing Content via field_prod_downloads is I Settings
Content: Type (- Featu	Entity Reference: Referencing entity A bridge to the Content entity that is referencing Content via field prod featured case study
SORT CRITERIA	Entity Reference: Referencing entity
	A bridge to the Content entity that is referencing Content via field_page_custom_description
	A builds to the Constant action the in sufference on Constant use Relation on a resultant in the Second Sec
	Use aggregation: No
	Query settings: Settings Field Language: Current user's language
	The conjugate control and a single grad


















Do we have time for a demo?



References

- Display Suite project page
 - https://drupal.org/project/ds
- Screencasts & articles about Display Suite
 - https://drupal.org/node/644706
 - http://www.youtube.com/user/swentieman
- Quick Tabs project page

 <u>https://drupal.org/project/quicktabs</u>
- Renaud Joubert (me)
 - renaud.joubert@sympatico.ca
 - http://renaudjoubert.com